




Contact Us

Company: Huixin Electric Shenzhen Co., Ltd
Phone: 400-068-6886
Address: Building E-F, Bailian Smart City, No. 28 Xingnong Road, Longgang District, Shenzhen



TV FACTORY

CROSS BORDER TRADE/CUSTOMIZED PROCUREMENT
SOURCE FACTORY FOR PROJECTS

CATALOGUE

Company Introduction

2. Official Partner

3. System customization

4. Product Details

5. Accessories&Packaging

6. Power cord/plug

7. Packaging and Process



ENTERPRISE

Shenzhen Yaguanda Intelligent Technology Co., Ltd is a Subsidiary of Huixin Electric (Shenzhen) Co., Ltd. Huixin Electric (Shenzhen) Co., Ltd., established in 2017, is a high-tech enterprise specializing in the R&D, manufacturing, sales, and engineering services of LCD and LED display solutions. Our diverse product portfolio includes Impact-Resistant Smart LED TVs, Frameless Smart TVs, Interactive Educational Whiteboards, Digital Signage, Meeting Room Displays, Portable Smart TVs, LCD Video Walls, LED Indoor Modules, Fine-Pitch LED Displays, Indoor/Outdoor LED Advertising Screens, LED Rental Screens, and Custom-Shaped LED Displays. These products are widely applied across various sectors such as entertainment, hospitality, corporate and government facilities, education, retail, airports, and command centers.

Equipped with a professional R&D team, advanced production facilities, and refined manufacturing processes, Huixin holds multiple international certifications including CE, FCC, RoHs, CCC, and CQC. We strictly adhere to ISO9001, ISO14001, and ISO45001 management systems to ensure consistent product quality and reliability.



15000m²
FACTORY AREA



100000+
MONTHLY PRODUCTION CAPACITY



100+
ENTERPRISE SIZE



100000+
SMART TV

North Korea has exported over 100000 televisions
in a single transaction.

OFFICIAL PARTNER

Panel Brands



Motherboard cooperative brand



Flag brands



SYSTEM CUSTOMIZATION

Android

2K 512MB+4G: 45W/ATV/T2/S2/ISDB/ATSC+Android
4K/1.5G+8G:ATV/T2/S2/ISDB/ATSC+Android

Google

2K 2+64G: ATSC(North America, South Korea)
2K 2+64G: ISDB(South America)
2K 2+64G: DVB-T2(East and Central Africa, Asia-Pacific, Taiwan)
2K 2+64G: DVB-DVB-T2(Europe)
4K 2+64G: ATSC(North America, South Korea)
4K 2+64G: ISDB(South America)
4K 2+64G: DVB-T2(East and Central Africa, Asia-Pacific, Taiwan)
4K 2+64G: DVB-DVB-T2(欧洲Europe)

webOS

2K 512MB+4G: 45W/ATV/T2/S2/ISDB/ATSC+Android
4K/1.5G+8G:ATV/T2/S2/ISDB/ATSC+Android

whale OS


/

More

Memory, logo sticker, startup animation, language, plug standard, color
Screen brightness, LCD screen brand, etc

SYSTEM UI CUSTOMIZATION


ANDROID SYSTEM




CUSTOMIZABLE



CUSTOMIZABLE



CUSTOMIZABLE




CUSTOMIZABLE

SYSTEM UI CUSTOMIZATION

GOOGLE SYSTEM



CUSTOMIZABLE



CUSTOMIZABLE

SYSTEM UI CUSTOMIZATION


WEBOS SYSTEM




CUSTOMIZABLE




CUSTOMIZABLE



CUSTOMIZABLE



CUSTOMIZABLE



CUSTOMIZABLE



CUSTOMIZABLE

SYSTEM UI CUSTOMIZATION


WHALEOS SYSTEM




CUSTOMIZABLE



CUSTOMIZABLE



CUSTOMIZABLE



CUSTOMIZABLE

PRODUCT DETAILS



EXPLOSION PROOF TV

SHELL MATERIAL	METAL OR PLASTIC
SIZE	32"43"50"55"65"75"85"98"100"110"115"
RESOLUTION	2K/4K(3840*2160)
SYSTEM	ANDROID/GOOGLE/WEBOS/WHALEOS
STANDARD	DVB-T/DVB-C/DVB-T2/T2/S2/ISDB-T/ATSC/ATV
INTERFACE	HDMI/AV/RJ45/USB/AUDIO OUTPUT/BUILT IN WIFI
POWER SUPPLY	AC110V-240V
POWER	170-175W
MEMORY	1+8/2+16
CONTRAST	5000:1
INSTALL	WALL MOUNTED/BASE
PANEL	DLED (BACKLIGHT)A+
INSTALL SOFTWARE	NETFLIX,YOUTUBE,DISNEY,AMAZON,ADOBE,FIREFOX, GOOGLE-CHROME,FACEBOOK

货柜装箱
Internal Dimensions

	20GP 5.90×2.35×2.39m	40GP 12.03×2.35×2.39m	40HQ 12.03×2.35×2.69m
32 "	476	952	1064
43 "	255	561	627
50 "	204	459	513
55 "	136	272	304
65 "	102	238	266
75 "	84	168	180
85 "	28	70	75
98 "	18	45	50
100 "	18	45	50
110 "	16	32	36
115 "	12	24	28



PRODUCT DETAILS



FULL SCREEN SMART TV

SHELL MATERIAL	PLASTIC
SIZE	32"/43"/50"/55"/65"/75"/85"
RESOLUTION	2K/4K(3840*2160)
SYSTEM	ANDROID/GOOGLE/WEBOS/WHALEOS
STANDARD	DVB-T/DVB-C/DVB-T2/T2/S2/ISDB-T/ATSC/ATV
INTERFACE	HDMI/AV/RJ45/USB/AUDIO OUTPUT/BUILT IN WIFI
POWER SUPPLY	AC110V-240V
POWER	30-450W
ROM+RAM	1+8/2+16/4+32
CONTRAST	5000:1
INSTALL	WALL MOUNTED/BASE
PANEL	DLED (BACKLIGHT)A+
INSTALL SOFTWARE	NETFLIX,YOUTUBE,DISNEY,AMAZON,ADOBE,FIREFOX,GOOGLE-CHROME,FACEBOOK

PRODUCT DETAILS



ADVERTISING DIGITAL SIGNAGE

MATERIAL	ALUMINUM PROFILE
SIZE	13.3"/15.6"/18.5"/21.5"/23.6"/32"/43"/55"/65"/75"/85"
RESOLUTION	1920*1080/3840*2160
SYSTEM	ANDROID
INTERFACE	RJ45/USB/HDMI/DC
POWER SUPPLY	AC110V-240V
POWER	30-450W
RUN STORAGE	1+8G/2+16G/4+32G/8+64G
CONTRAST	5000:1
INSTALL	WALL MOUNTED
PROTECTION PANEL	TEMPERED GLASS
COLOR GAMUT	16.7M
FEATURE	·SUPPORTS LANDSCAPE/VERTICAL SCREEN PLAYBACK ·SUPPORT TIMED ON/OFF FUNCTION ·SUPPORT ADVERTISING INSERTION FUNCTION AND AUTOMATIC LOOP PLAYBACK FUNCTION ·SUPPORTS USB PLAYBACK, HOT SWAPPING, MORE CONVENIENT TO UPDATE CONTENT

货柜装箱


Internal Dimensions

	20GP 5.90×2.35×2.39m	40GP 12.03×2.35×2.39m	40HQ 12.03×2.35×2.69m
32 "	476	952	1064
43 "	255	561	627
50 "	204	459	513
55 "	136	272	304
65 "	102	238	266
75 "	84	168	180
85 "	28	70	75
98 "	18	45	50
100 "	18	45	50
110 "	16	32	36
115 "	12	24	28




Intelligent split screen

Mode 1




Mode 2



Mode 3



Mode 4



PRODUCT DETAILS



VERTICAL ADVERTISING MACHINE

SIZE	32"/43"/50"/55"/65"/75"/85"
COLOR	BLACK
RESOLUTION	1920*1080
CONTRAST	5000:1
ROM+RAM	1+8G/2+16G/4+32G
VIEWING ANGLE	178°
INTERFACE	RJ45/TF/USB/VGA/HDMI
FUNCTIONAL VERSION	NETWORK/TOUCH
BODY MATERIAL	ALUMINUM PROFILES+GLASS PANELS
VOLTAGE	AC110-240V
COLOR GAMUT	16.7M
AUDIO SYSTEM	BUILT-IN SPEAKER 8Ω10W×2
FEATURE	· INTELLIGENT SPLIT-SCREEN, BACKGROUND MANAGEMENT ANYTIME, ANYWHERE · FACE-TO-FACE COMMUNICATION, TRULY ACHIEVING PROACTIVE DISSEMINATION AND MANDATORY VIEWING

PRODUCT DETAILS




A MOVABLE TELEVISION

RESOLUTION	1920*1080 60HZ
SIZE	21.5"(BUILT-IN CAMERA)/24"/27"/32"
BRIGHTNESS	250CD/㎡
CONTRAST	1200:1
VOLTAGE	13.5V 6A
SENSOR	GRAVITY ROTATION SENSOR
TOUCH METHOD	MULTI POINT CAPACITIVE TOUCH
INTERFACE	TYPE-C/USB/HDMI/SDIO/IO
BODY MATERIAL	ABS+6063(METAL SPRAY PAINTING)
CAMERA	300W FIXED FOCUS/500W ZOOM
SYSTEM	ANDROID 10/13
RAM/ROM	4G+8G/128G
FEATURE	· TOUCH RESPONSE IS FASTER, AND WRITING IS SMOOTH AND FLUID. · FREE APP DOWNLOADS ON THE ANDROID SYSTEM. · MOVE FREELY, OPERATE SMOOTHLY, AND SAVE SPACE.




Intelligent split screen

Mode 1



Mode 2



Mode 3



Mode 4



SILENT TIRES



FREE ROTATION



90°
ROTATABLE

PRODUCT DETAILS



Meeting Annotations



fluent writing




video conference



screen mirroring



Scan to share



PRODUCT NAME	EDUCATION TOUCH ALL IN ONE INTERACTIVE BOARD
SIZE	55"/65"75"/85"/98"/100"/110"
RESOLUTION	4K(3840*2160)
SYSTEM	WINDOWS/ANDROID
STANDARD	DVB-T/DVB-C/DVB-T2/T2/S2/ISDB-T/ATSC/ATV
INTERFACE	HDMI/RJ45/USB/AUDIO OUTPUT
POWER SUPPLY	AC110V-240V
SYSTEM	WINDOWS /ANDROID (DUAL SYSTEM)
RAM	DDR3 4G/8G/16G (OPTIONAL)
INSTALL	WALL MOUNTED (DEFAULT)/MOBILE BRACKET
RESPONSE SPEED	≤ 5MS; FIRST CLICK RESPONSE TIME ≤ 8MS
INSTALL SOFTWARE	NETFLIX, YOUTUBE, DISNEY, AMAZON, ADOBE, FIREFOX, GOOGLE-CHROME, FACEBOOK
FEATURE	· HIGH TOUCH LOSS SENSITIVITY, FAST SPEED, NO DRIFT PHENOMENON · MULTIPLE SIGNAL INTERFACES, SUPPORT A VARIETY OF SIGNAL AUXILIARY IN/OUT · MATURE PROGRAM CONFIGURATION; STANDARD MULTI-TOUCH PROGRAM

PRODUCT NAME	MULTI-FUNCTIONAL INTELLIGENT CONFERENCE SERIES
SIZE	55"/65"75"/85"/98"/100"/110"
RESOLUTION	4K(3840*2160)
SYSTEM	WINDOWS/ANDROID
STANDARD	DVB-T/DVB-C/DVB-T2/T2/S2/ISDB-T/ATSC/ATV
INTERFACE	HDMI/RJ45/USB/AUDIO OUTPUT
POWER SUPPLY	AC110V-240V
SYSTEM	WINDOWS /ANDROID (DUAL SYSTEM)
RAM	DDR3 4G/8G/16G (OPTIONAL)
INSTALL	WALL MOUNTED (DEFAULT)/MOBILE BRACKET
RESPONSE SPEED	≤ 5MS; FIRST CLICK RESPONSE TIME ≤ 8MS
INSTALL SOFTWARE	NETFLIX, YOUTUBE, DISNEY, AMAZON, ADOBE, FIREFOX, GOOGLE-CHROME, FACEBOOK
FEATURE	· PROVIDE A USER CLOSEST TO NATURAL WRITING · ADDRESSING THE NEED FOR MEETINGS AT ANY TIME AND REMOTE DATA SHARING · FULL SCENE CONFERENCE: LARGE SCREEN, MOBILE PHONE, COMPUTER, IPAD, ETC., ALLOWING FOR VIDEO AND AUDIO CONFERENCING ANYTIME AND ANYWHERE, AS WELL AS SHARING THE SAME DATA FILE

PRODUCT DETAILS



RANDOM ASSEMBLY
AND CONNECTION



- HIGH-DEFINITION RESOLUTION, WIDE-ANGLE EXTENSION TECHNOLOGY
- ALL-METAL CASING, STURDY AND DURABLE, CAPABLE OF CONTINUOUS OPERATION FOR 365 DAYS
- INTELLIGENT TEMPERATURE CONTROL TECHNOLOGY, ENERGY-SAVING AND LOW-POWER CONSUMPTION, HIGH RELIABILITY
- ARBITRARY SPLIT-SCREEN DISPLAY, PICTURE MOSAIC SPLIT-SCREEN DISPLAY, MODULAR DESIGN OF THE MOSAIC UNIT

DID SPLICING SCREEN

BRIGHTNESS	500CD/m²
MATERIAL	METAL SHELL+TEMPERED GLASS SCREEN
SIZE	46"49"55"65"
RESOLUTION	1920*1080
PANEL TYPE	LED BACKLIGHT SOURCE
COLOR GAMUT	16.7M
INTERFACE	HDMI/RS232/USB/DVI/VGA/CVBS
POWER SUPPLY	AC220V
POWER	≤200W
CONTRAST	5000:1
IMAGE FORMAT	PAL、NTSC、SECAM
BILATERAL SEAM	3.5/0.88MM
INSTALL	WALL MOUNTED (DEFAULT)/EMBEDDED/FLOOR STANDING/ FRONT MAINTENANCE/CABINET

Patch installation method

Method 1
Wall-mounted bracket



Method 2
Floor-standing cabinet



Method 3
Ground support bracket



Method 4
Hydraulic machine cabinet



PRODUCT DETAILS



ULTRA-WIDE BEZEL
CONNECTED LARGE SCREEN

SIZE	65"75"/85"/98"
RESOLUTION	2K/4K(3840*2160)
SYSTEM	ANDROID
COLOR GAMUT	16.7M
INTERFACE	HDMI/DVI/VGA/DP/USB/AUDIO INPUT/OUTPUT/RS232
POWER SUPPLY	AC110V-240V
POWER	95-100W
BILATERAL SEAM	15MM/18MM
CONTRAST	5000:1
INSTALL	EMBEDDED / BRACKET
PANEL	DLED BACKLIGHT A+
DOT PITCH	0.1432*0.4296MM
CONVENTIONAL COMBINATION	1X3/1X4/1X3+1/1X4+1/1X3+2/1X4+2 (OPTIONAL)

CONVENTIONAL
SPLICING SCHEME



MOBILE
BASE SOLUTION



ACCESSORIES&PACKAGING

VARIOUS SERIES



OPTIONAL OPTIONAL OPTIONAL OPTIONAL OPTIONAL



OPTIONAL OPTIONAL OPTIONAL OPTIONAL OPTIONAL OPTIONAL OPTIONAL

POWER CORD/PLUG

INTERNATIONAL STANDARD COMPARISON TABLE

Chinese Plug	220V 50Hz	Australia, New Zealand, Argentina	 
American standard plug	110V 60Hz(civilian) 220V 60Hz(For industrial use)	the United States, Canada, Japan, Brazil, Philippines, Thailand, Taiwan	 
British plug	230V 50Hz	Hong Kong, the United Kingdom, India, Pakistan, Singapore, Malaysia, Vietnam, Indonesia, Maldives, Qatar	 
European plug	220V 50Hz	EU countries such as Germany, France, the Netherlands, Denmark, Finland, Norway, Poland, Portugal, Austria, Belgium, Hungary, Spain, South Korea, Russia, and Sweden	  
South African plug	220V 50Hz	South Africa, India, Russia	 

China, Australia, New Zealand	National Standard (Type I), three-prong plug compatible with two-prong/three-prong plugs	China: CCC; Australia/ New Zealand: SAA
The United States, Canada	American Standard (Type B/NEMA), two-prong one-ground plug, compatible with two-prong plugs	UL (USA), ETL, CSA (Canada)
Germany, Austria, most countries of the European Union	European Standard (Type F/Schuko), two-ground plugs (with grounding), compatible with two-ground plugs	VDE (Germany), CE (EU mandatory), TUV
Britain, Singapore, Malaysia	British Standard (Type G), large three-prong plug, not compatible with other types of plugs	BS (UK), ASTA, CE (applicable in EU regions)
Japan	Japanese Standard (Type A), two-prong plug, compatible with American standard two-prong plugs	PSE (mandatory certification, divided into rhombus/round), JET
France, Belgium, Czech Republic	French Standard (Type E), two-ground one-prong plug, compatible with European standard Type C/F plugs	CE (EU mandatory), LCIE (France), VDE
South Africa, India	South African Standard (Type D/M), three-ground plug, not compatible with other types of plugs	SABS (South Africa), STQC (India), BS
Italy, Chile	Italian Standard (Type L), three-prong plug, compatible with European standard Type C plug	IMQ (Italy) CE (applicable in EU regions), IRAM (Chile)

PACKAGING AND PROCESS

CUSTOMIZED COLOR BOX



Version 01



Version 02



Version 03



Version 07



Version 08



Version 09



Version 04



Version 05



Version 06



Version 10

PACKAGING AND PROCESS



PACKAGING CUSTOMIZATION



STANDARDIZATION



PACKAGING CONTENT



FINISHED PRODUCT



DEPARTURE FOR PORT



CABINET LOADING



PACKING WOODEN CRATES

Customization Process

Transaction is just the beginning. We adhere to quality as the core and service as the guarantee
Let every customer purchase with peace of mind!



01

Provide parameters
The customer provides detailed parameters



02

Engineer confirmation
Feasibility or optimization suggestions for parameters



03

Secondary confirmation
Customer service confirms parameters with the customer



04

Quotation
Quotation based on customized parameters



05

Contract delivery date
Negotiate terms and delivery time



06

Deposit or full payment
Pay the deposit or full payment according to the contract



07

Scheduling production
Schedule production according to payment order



08

Inspection confirmation
Customer/Factory Inspection Confirmation



09

Pay the Balance
Check the goods and confirm payment of the final balance



10

send out goods
Agreed time for loading and delivery

Thank you

Looking forward to working with you